

<b>Effective Date</b>	2018
<b>Impacted Manual #(s)/Manual Title(s):</b>	
Manual 11 – Energy & Ancillary Services Market Operations Manual 12 – Balancing Operations Manual 28 – Operating Agreement accounting	
<b>Conforming Order(s):</b>	
N/A	
<b>Associated Issue Tracking Title:</b>	Operating Parameter Definitions
<b>Committee Approval Path - What committee(s) have already seen these changes?</b>	
MIC – Endorsement, 11-2-2016 MRC – First Read, 10-27-2016 MRC – Endorsement, 11-17-2016	
<b>MRC 1<sup>st</sup> read date:</b>	10-27-2016
<b>MRC voting date:</b>	11-17-2016
<b>Impacted Manual sections:</b>	
Manual 11 - Section 2.3.3, 2.3.4, 2.3.6,2.3.7, 2.3.10, 4.1, 4.2.6, & 11.2.2. Manual 12 – Section 4.6.12 Manual 28 – Section 5.2.1 & 5.2.7.	
<b>Reason for change:</b>	
Cold/Warm/Hot Soak time will be un-nested from Minimum Run Time allowing Market Sellers to submit values for these in Markets Gateway such that their Day Ahead awards more closely align with their Real Time Performance.	
<b>Summary of the changes:</b>	
The Minimum Run Time definition was changed to un-nest Cold/Warm/Hot Soak Time from within it. Pool scheduled resources can be made whole for their Cold/Warm/Hot Soak Time.	