

Day-ahead Zonal Load Bus Distribution Factors

Endorsement

Amanda Martin

Sr. Analyst, Day-ahead Market Operations

MIC

December 7, 2022

www.pjm.com | Public PJM©2022



- In Day-ahead (DA), the distribution for each individual node within a zone or residual aggregate is calculated based on the percentage of state estimator load for that node as of 8:00 AM the prior week.
 - Example: The factors for the July 14 market day would be calculated using state estimator data from 8:00 AM on July 7.
- These factors are then used throughout the 24 hour DA period.



Design Components 1 and 2: Lookback Period

 For each hour in the DA market day, utilize the distribution from the hourly RT State Estimator solution from that same hour on the day that is one week prior that market day.

Hour	Real-time (11/1/22)	Day-ahead Status Quo (11/8/22)	Day-ahead Proposal (11/8/22)
01:00 - 07:00	0.025	.033	0.025
08:00	0.033	.033	0.033
9:00	0.030	.033	0.030
10:00	0.025	.033	0.025
11:00 - 24:00	0.027	.033	0.027

www.pjm.com | Public 9JM©2022



Design Component 3: Missing or Inaccurate Factors

- All 24 hours from the most recently available day of the week that the operating day falls on will be used.
 - Recently available day of the week means the most recent day that shares the same day of the week and for which all 24 hours are available for that day.
 - Monday for Monday, Saturday for Saturday, etc.
 - This would apply for significant/wide scale missing or inaccurate factors and would not apply to minor individual bus discrepancies

www.pjm.com | Public PJM©2022



Design Component 3: Missing or Inaccurate Factors

Hour	Real-time (10/25/22)	Real-time (11/1/22)	Day-ahead Status Quo (11/8/22)	Day-ahead Proposal (11/8/22)
01:00 - 07:00	0.030	0.025	0.029	0.030
08:00	0.029	missing	0.029	0.029
9:00	0.025	0.030	0.029	0.025
10:00	0.033	0.025	0.029	0.033
11:00 – 24:00	0.030	0.027	0.029	0.030

www.pjm.com | Public 5



2.3.2.4 Electric Distribution Company (EDC) Activities

• For the Day-ahead Market, the Electric Distribution Company (EDC) shall specify the transmission zone, bus distributions, and aggregate bus distributions as a daily distribution. The default distribution for a transmission zone for the Day-ahead Market is the state estimator distribution for that zone for each corresponding hour of the Operating Day one week prior at 0800 one week prior to the Operating Day (i.e. if next Operating Day operating hour is Monday at 0800, the default distribution is from 0800 on Monday of the previous week). The default distribution for a residual metered load aggregate for the Day-ahead Market is the final Real-time distribution factors for the residual metered load aggregate for each corresponding hour of the Operating Day one week prior at 0800 one week prior to the Operating Day. See PJM Manual 28: Operating Agreement Accounting, Section 3 for additional details on residual metered load aggregates.



• Day-ahead Residual Metered Load aggregate distribution factors default to the final real-time distribution factors for the Residual Metered Load aggregate for each corresponding hour of the Operating Day one week prior at 8:00 a.m. one week prior to the Operating Day (i.e., if next Operating Day hour is Monday at 8:00 a.m., the default distribution is from 8:00 a.m. on Monday of the previous week). Consistent with physical transmission zones, the definition applies to all hours in the day.



OATT Section 31.7c(ii) and (ii)

(c)The distribution of load buses in an Energy Settlement Area for the determination of a Transmission Loss Charge and Transmission Congestion Charge per Tariff, Part I, section 5.1 and Tariff, Part I, section 5.4 are determined as follows.

(i) Zonal aggregate determination. The default distribution of load buses for a Zone for the Day-ahead Energy Market is the State Estimator distribution of load for that Zone for each corresponding hour of the Operating Day one week priorat 8:00 a.m. one week prior to the Operating Day (i.e. if the operating hour Operating Day is 8:00 a.m. Monday, the default distribution is from 8:00 a.m. on Monday of the previous week). Should the Office of the Interconnection experience technical limitations that would restrict the ability to obtain the State Estimator distribution of load for a Zone for any hour of the Operating Day one week priorat 8:00 a.m. one week prior to the Operating Day or if the required data is not available, a State Estimator distribution of load from the most recently available day of the week that the Operating Day falls on will be used (i.e., if the missing hour(s) is Operating Day Hour is on Monday, the Office of the Interconnection will utilize the State Estimator distribution of load for each corresponding hour from the most recent Monday for which data is available). If the default distribution does not accurately reflect the distribution of load for the Zone for the relevant electric distribution company for the Day-ahead Energy Market, it may specify another more accurate distribution of load buses for the Zone in the Office of the Interconnection's internet-based software application. The distribution of load buses for a Zone for the Real-time Energy Market is the State Estimator distribution of load for that Zone for each hour during the Operating Day.

www.pjm.com | Public 8 PJM©2022



- First Reads
 - November 2 MIC
 - December 21 MRC
- Endorsements
 - December 7 MIC
 - January 25 MRC
- Approvals
 - Jan or Feb MC: Tariff



Facilitator:

Foluso Afelumo, Foluso.Afelumo@pjm.com

Secretary/SME:

Amanda Martin, Amanda.Martin@pjm.com

Day Ahead Zonal Load Bus Distribution Factors



Member Hotline

(610) 666 - 8980

(866) 400 - 8980

custsvc@pjm.com

